JOURNAL OF GEOSPACE SCIENCE

Vol. 6 No. 2 (2026)

E-ISSN : 2413-6093
https://jogss.org

# Machine-Learning Forecasting and Maintenance Decision Support for Low-Carbon Energy Systems

[1]Howard Fong; [2]Patrick Yiu

[1]School of Energy and Power Engineering, Shandong University, Jinan 250061, China

[2]Bioengineering Program, Department of Chemical and Biological Engineering, Hong Kong University of Science and Technology, Hong Kong, China

**ABSTRACT**

*The global transition toward sustainable power generation has fundamentally accelerated the integration of low-carbon energy systems, predominantly wind and solar power, into the primary electrical grid. However, the intrinsic volatility and weather-dependent nature of these renewable sources present substantial challenges for grid stability, energy dispatch, and asset management. This paper provides a comprehensive investigation into the application of machine learning algorithms for both generation forecasting and predictive maintenance decision support within low-carbon energy infrastructures. By synthesizing advanced predictive modeling techniques with reliability engineering, the research demonstrates how data-driven paradigms can simultaneously optimize power output predictions and minimize unexpected equipment failures. We explore the architectural requirements for high-fidelity data acquisition, evaluate the comparative efficacy of deep learning methodologies such as long short-term memory networks and transformer architectures, and analyze their integration into holistic maintenance frameworks. The analysis reveals that unified decision support systems, which concurrently leverage generation forecasts and health degradation models, significantly reduce operational and maintenance costs while maximizing the availability of energy assets. Through detailed theoretical discourse and operational scenario evaluations, this study underscores the critical necessity of transitioning from traditional, reactive operational paradigms toward proactive, intelligent management ecosystems in the pursuit of secure and economically viable low-carbon energy networks.*

**KEYWORDS**

*Machine Learning, Energy Forecasting, Predictive Maintenance, Low-Carbon Systems*

## 1. Introduction

### 1.1 The Imperative of Low-Carbon Energy Systems

The escalating concerns surrounding anthropogenic climate change, greenhouse gas emissions, and the depletion of conventional fossil fuel reserves have catalyzed a global paradigm shift toward sustainable

and renewable energy sources. Governments and international regulatory bodies have established aggressive decarbonization targets, necessitating the rapid deployment of low-carbon energy systems, most notably wind turbines, photovoltaic arrays, and hydroelectric installations. As these renewable resources constitute an increasingly dominant share of the global energy mix, the operational dynamics of electrical grids must evolve to accommodate their unique characteristics [1]. Unlike traditional thermal or nuclear power plants, which provide baseload generation with highly controllable output, wind and solar power are inherently stochastic, driven by complex and non-linear meteorological phenomena. This variability introduces unprecedented challenges for grid operators, who must maintain a delicate, real-time balance between electricity supply and demand to ensure frequency stability and prevent catastrophic blackout events. The successful integration of low-carbon energy systems into existing infrastructures, therefore, depends intrinsically on the ability to accurately anticipate their generation profiles over various temporal horizons [2]. Beyond the challenges of generation forecasting, the physical assets comprising low-carbon energy systems are frequently deployed in harsh, remote, or inaccessible environments. Offshore wind farms, for example, are subjected to extreme aerodynamic loads, corrosive saltwater exposure, and severe weather events, while large-scale solar installations in arid regions face significant thermal stress and particulate abrasion. These environmental factors accelerate the physical degradation of critical mechanical and electrical components, leading to an increased probability of unexpected failures [3]. Given the geographical dispersion and accessibility constraints of these assets, unplanned downtime results in substantial financial losses, both in terms of ungenerated energy revenue and the high logistical costs associated with emergency repairs. Consequently, the economic viability and long-term sustainability of the renewable energy sector are inextricably linked to the efficiency of operation and maintenance strategies. There is a pressing need for intelligent systems capable of monitoring asset health, predicting impending failures, and optimizing maintenance interventions to maximize operational availability and minimize lifecycle costs [4].

### 1.2 The Role of Machine Learning in Operational Optimization

In response to the dual challenges of generation variability and asset degradation, the energy sector is undergoing a profound digital transformation, heavily leveraging advancements in artificial intelligence and machine learning. Traditional analytical approaches, which often rely on simplified physical models or linear statistical techniques, are increasingly proving inadequate for capturing the immense complexity and high dimensionality of modern energy data [5]. Machine learning algorithms, conversely, excel at identifying intricate, non-linear patterns within massive datasets, making them exceptionally well-suited for addressing the operational hurdles of low-carbon energy systems. By processing vast streams of historical data, real-time sensor telemetry, and high-resolution meteorological forecasts, machine learning models can generate highly accurate predictions of future power output across multiple timescales, ranging from intra-hour dispatch intervals to multi-day resource planning horizons. Furthermore, machine learning serves as the foundational technology for modern predictive maintenance frameworks. By applying advanced anomaly detection algorithms and prognostics models to condition monitoring data, operators can identify subtle deviations in equipment behavior that precede catastrophic failures [6]. This capability enables the transition from traditional run-to-failure or rigid calendar-based maintenance schedules toward condition-based and predictive paradigms, where maintenance is performed precisely when required based on the actual health state of the equipment. While forecasting and maintenance have historically been treated as largely independent operational domains, there is a growing realization that their integration is essential for holistic decision support. For instance, scheduling a required maintenance intervention during a period of predicted low wind resource minimizes the associated opportunity cost of lost generation [7]. The central premise of this research is that by unifying machine learning forecasting and predictive maintenance within a cohesive decision support framework, low-carbon energy systems can achieve unprecedented levels of reliability, efficiency, and economic performance.

## 2. Background and Literature Review

### 2.1 Evolution of Energy Forecasting Methodologies

The pursuit of accurate generation forecasting for renewable energy systems has been a critical area of academic and industrial research for several decades. Early approaches primarily relied on physical models, such as numerical weather prediction systems, which utilize complex mathematical representations of atmospheric fluid dynamics and thermodynamics to forecast meteorological variables [8]. While numerical weather prediction remains fundamental for long-term forecasting, its utility for short-term, highly localized predictions is often limited by coarse spatial resolution and significant computational latency. To bridge this gap, statistical methods, including autoregressive integrated moving average models and exponential smoothing techniques, were subsequently adapted for energy forecasting. These time-series approaches model the statistical dependencies between past and future observations, providing computationally efficient predictions for short temporal horizons [9]. However, statistical models generally assume linear relationships and stationarity within the data, rendering them ill-equipped to handle the highly non-linear and volatile nature of wind and solar generation profiles, especially during extreme weather events or sudden ramp phenomena [10]. The advent of machine learning introduced a revolutionary shift in forecasting capabilities. Support vector machines, artificial neural networks, and decision tree ensembles such as random forests have been extensively documented in the literature for their ability to model complex, non-linear mappings between multidimensional input variables and power output [11]. These shallow machine learning algorithms significantly outperformed traditional statistical methods by effectively incorporating diverse data sources, including historical generation data, localized sensor readings, and atmospheric variables [12]. More recently, the field has been dominated by deep learning architectures. Recurrent neural networks, and specifically long short-term memory networks, have demonstrated exceptional proficiency in modeling sequential data and capturing long-range temporal dependencies inherent in energy time series [13]. Additionally, spatial-temporal models utilizing convolutional neural networks combined with recurrent structures have proven highly effective at capturing the spatial correlations between neighboring wind turbines or solar arrays, further enhancing prediction accuracy at the farm level [14].

***Table 1Comparison of traditional and machine learning forecasting methods***

| Characteristic | Physical Models | Statistical Methods | Machine Learning Models |
|---|---|---|---|
| Primary Input Data | Atmospheric variables | Historical time series | Multidimensional features |
| Computational Complexity | Extremely High | Low | Moderate to High |
| Capability with Non-linearity | Moderate | Poor | Excellent |
| Short-term Accuracy | Low | Moderate | High |

### 2.2 Advancements in Maintenance Strategies

Maintenance strategies within the industrial and energy sectors have undergone a significant evolutionary trajectory. The most rudimentary approach, reactive maintenance or run-to-failure, involves operating equipment until a functional breakdown occurs, followed by corrective repair or replacement [15]. While requiring minimal upfront investment in monitoring infrastructure, reactive maintenance in low-carbon energy systems typically results in unacceptably high downtime,

catastrophic secondary damage to adjacent components, and exorbitant logistical costs, particularly for offshore installations [16]. To mitigate these risks, the industry largely adopted preventive maintenance, characterized by scheduled interventions based on time intervals or operational usage metrics, irrespective of the actual equipment condition. While preventive strategies reduce the incidence of unexpected failures, they often lead to over-maintenance, where perfectly healthy components are replaced prematurely, thereby inflating operational expenditures and introducing the risk of maintenance-induced failures [17]. The paradigm is currently shifting toward predictive maintenance, a proactive strategy that utilizes condition monitoring technologies and data analytics to assess equipment health and forecast future degradation. The literature extensively covers various condition monitoring techniques applied to renewable energy assets, including vibration analysis for wind turbine gearboxes, acoustic emission testing for blade structural integrity, and thermography for identifying hot spots in photovoltaic panels [18]. Machine learning plays a pivotal role in processing these massive volumes of condition monitoring data. Supervised learning algorithms are employed for fault diagnosis, classifying the specific type and severity of emerging defects based on historical failure data. Moreover, prognostics approaches utilize historical degradation trajectories to estimate the remaining useful life of a component, providing operators with a critical time window to plan interventions [19].

## 3. Data Acquisition and System Architecture

### 3.1 Sensor Networks and Telemetry Systems

The efficacy of any machine learning-driven decision support system is fundamentally dependent on the quality, resolution, and reliability of the underlying data infrastructure. In the context of low-carbon energy systems, data acquisition is a complex, multi-layered process that involves the integration of heterogeneous sensor networks and telemetry systems. For wind energy installations, Supervisory Control and Data Acquisition systems serve as the primary source of operational intelligence [20]. These systems continuously collect high-frequency data from hundreds of sensors embedded within each turbine, recording parameters such as rotor speed, active and passive power output, nacelle wind speed and direction, pitch angles, and the operational temperatures of critical components like the main bearing, gearbox, and generator. Similarly, utility-scale photovoltaic plants utilize extensive sensor arrays to monitor direct current and alternating current voltage and current, inverter efficiency, string-level performance, and module temperatures [21]. In addition to operational data, meteorological information is paramount for both generation forecasting and contextualizing asset health. Local weather stations installed at the generation site provide high-resolution measurements of irradiance, ambient temperature, humidity, atmospheric pressure, and wind profiles. This localized data is frequently augmented with broader atmospheric forecasts obtained from national meteorological agencies or commercial weather service providers, offering insights into impending weather fronts, cloud cover trajectories, and atmospheric stability indices [22]. The aggregation of these disparate data streams requires robust communication architectures, typically employing fiber optic networks within the plant and secure, high-bandwidth satellite or cellular connections for transmitting data back to centralized control centers or cloud-based data lakes.





*Figure 1: Comprehensive Schematic of Machine*

### 3.2 Data Preprocessing and Feature Engineering

Raw data generated by energy systems is notoriously susceptible to corruption, missing values, and anomalies caused by sensor malfunctions, communication dropouts, or routine maintenance activities. Therefore, rigorous data preprocessing is a mandatory prerequisite before any machine learning modeling can occur. The preprocessing pipeline typically begins with data cleansing, where spurious outliers are identified and removed using statistical thresholds or density-based clustering algorithms. Missing data points are addressed through various imputation techniques, ranging from simple linear interpolation for brief gaps to sophisticated machine learning-based imputation models that leverage correlations with adjacent sensors or historical patterns for extended periods of missing data [23]. Furthermore, since the input variables often exhibit vastly different scales and units, normalization or standardization techniques are applied to ensure that no single feature disproportionately influences the learning algorithm. Feature engineering represents a critical phase where domain expertise is combined with data transformations to extract more meaningful representations of the underlying physical processes. In generation forecasting, temporal features such as time of day, day of the week, and seasonal indicators are often extracted to help models capture cyclical patterns [24]. For wind power applications, aerodynamic principles are utilized to engineer features like the power coefficient or tip-speed ratio, which provide deeper insights into turbine efficiency than raw wind speed alone. In the realm of predictive maintenance, time-domain condition monitoring data is frequently transformed into the frequency domain using fast Fourier transforms, enabling the identification of specific fault frequencies associated with bearing defects or gear tooth wear. Dimensionality reduction techniques, such as principal component analysis or autoencoders, are also commonly employed to compress high-dimensional sensor data into a lower-dimensional latent space, retaining the most critical information while filtering out noise and reducing the computational burden on subsequent modeling stages [25].

## 4. Machine-Learning Forecasting Methodologies

### 4.1 Advanced Time-Series and Deep Learning Models

The forecasting of low-carbon energy generation is inherently a time-series prediction problem, requiring algorithms capable of capturing complex temporal dynamics and non-linear relationships. While classical machine learning models like support vector regression and gradient boosting machines have proven effective, deep learning architectures have emerged as the state-of-the-art methodology for

handling the massive datasets typical of modern energy systems. Recurrent neural networks, designed specifically for sequential data, utilize internal memory states to process inputs across time steps. However, standard recurrent networks often struggle with the vanishing gradient problem when attempting to learn long-term dependencies. To overcome this, long short-term memory networks and gated recurrent units incorporate specialized gating mechanisms that selectively retain or discard information, allowing them to effectively model long-range temporal correlations, such as the influence of weather patterns developing over several days on future power output [26]. More recently, the attention mechanism and transformer architectures, originally developed for natural language processing, have been successfully adapted for time-series forecasting. Transformers process entire sequences of data simultaneously rather than sequentially, utilizing self-attention mechanisms to weigh the relative importance of different time steps in the input sequence, regardless of their temporal distance. This allows transformers to capture highly complex global dependencies and long-term trends more effectively than recurrent architectures, while also benefiting from parallelization during the training process [27]. In hybrid configurations, spatial-temporal graph convolutional networks are employed to model the physical topology of wind or solar farms. By representing individual turbines or inverters as nodes in a graph and modeling aerodynamic wake effects or cloud shadowing patterns as edges, these advanced architectures can significantly improve localized generation predictions by leveraging the spatial correlations between adjacent units.

**Table 2Performance characteristics of deep learning models for energy forecasting**

| Model Architecture | Temporal Dependency Handling | Spatial Correlation Capability | Computational Training Cost |
|---|---|---|---|
| Multilayer Perceptron | Poor | None | Low |
| Long Short-Term Memory | Excellent | None | High |
| Convolutional LSTM | Good | Moderate | Very High |
| Graph Neural Networks | Moderate | Excellent | High |

## 4.2 Probabilistic and Ensemble Forecasting

Deterministic point forecasts, which provide a single expected value for future generation, are often insufficient for robust grid management and operational decision-making. Because low-carbon energy generation is inherently uncertain, grid operators require an understanding of the confidence intervals and potential error margins associated with a prediction to accurately size operating reserves and manage risk. Probabilistic forecasting addresses this need by generating full predictive probability density functions or prediction intervals rather than discrete point estimates. Machine learning techniques such as quantile regression forests or deep learning models optimized with specialized loss functions can be utilized to directly predict the upper and lower bounds of generation at specified confidence levels [28]. Alternatively, Bayesian neural networks introduce probability distributions over the network weights, allowing the model to explicitly quantify both aleatoric uncertainty inherent in the data and epistemic uncertainty associated with the model itself. Ensemble forecasting represents another powerful methodology for enhancing prediction accuracy and reliability. By combining the outputs of multiple diverse base models, ensemble techniques mitigate the biases and variances associated with any single algorithm, resulting in a more generalized and robust forecast. Heterogeneous ensembles might combine predictions from support vector machines, random forests, and deep neural networks using weighted

averaging or a meta-learner algorithm, a technique known as stacking [29]. The weights assigned to each base model can be dynamically adjusted in real-time based on their recent performance under specific meteorological conditions. For instance, a model optimized for high-wind scenarios might receive greater weight during a storm event, while a model proficient in capturing low-wind dynamics would be favored during calm periods. This dynamic ensembling approach ensures that the forecasting system adapts continuously to the prevailing operational environment.

## 5. Maintenance Decision Support Frameworks

### 5.1 Diagnostics and Prognostics Modeling

The foundation of predictive maintenance lies in the ability to accurately diagnose current equipment health and project future degradation trajectories. Diagnostics relies primarily on anomaly detection and fault classification algorithms. Unsupervised learning techniques, such as isolation forests or one-class support vector machines, are frequently deployed to establish a baseline of normal operational behavior using historical condition monitoring data. When the incoming data stream deviates significantly from this learned multidimensional baseline, the system flags an anomaly, alerting operators to a potential developing fault before it escalates into a functional failure [30]. Once an anomaly is detected, supervised classification models can be utilized to identify the specific failure mode, provided sufficient historical labeled failure data is available. Prognostics, the science of estimating the remaining useful life of a component, is arguably the most complex aspect of the maintenance framework. Remaining useful life estimation requires modeling the degradation process from the point of incipient fault detection to the predefined failure threshold. Machine learning models approach this by learning degradation patterns from run-to-failure datasets. Recurrent neural networks and temporal convolutional networks are particularly adept at capturing the subtle, often non-monotonic trends in condition indicators over time [31]. The output of a prognostic model is not merely a single deterministic time value but typically a probability distribution representing the uncertainty surrounding the failure time. This uncertainty quantification is crucial, as it provides decision-makers with a realistic assessment of risk, allowing them to balance the probability of failure against the operational necessity of keeping the asset online during critical generation periods.





*Figure 2: Predictive Maintenance Decision Support Workflow and Optimization Mechanism*

### 5.2 Dynamic Maintenance Scheduling and Optimization

The ultimate objective of a decision support system is to translate prognostic insights and generation

forecasts into actionable, economically optimized maintenance schedules. Traditional maintenance scheduling often relies on static rules or heuristics, which fail to account for the dynamic operational environment of low-carbon energy systems. By integrating remaining useful life estimates with machine learning-based generation forecasts, operators can perform sophisticated cost-benefit analyses to determine the optimal timing for maintenance interventions [32]. The optimization problem seeks to minimize the total lifecycle cost, which encompasses the direct costs of maintenance labor, spare parts, and logistics, as well as the indirect penalty costs associated with unexpected functional failures and the opportunity costs of lost energy production during downtime. Advanced optimization algorithms, including genetic algorithms, particle swarm optimization, and deep reinforcement learning, are increasingly employed to solve this complex, multi-objective scheduling problem. Deep reinforcement learning, in particular, offers a highly adaptive framework where an artificial agent learns optimal maintenance policies through continuous interaction with a simulated environment of the energy system. The agent evaluates the current state, comprising asset health, meteorological forecasts, and available logistical resources, and selects maintenance actions that maximize a predefined reward function associated with long-term profitability and reliability [33]. By scheduling necessary repairs during periods of anticipated low wind speeds or low solar irradiance, the integrated decision support system minimizes the loss of generated revenue. Furthermore, by grouping maintenance tasks for multiple geographically proximate assets based on their prognostic profiles, operators can significantly reduce mobilization costs and optimize vessel or crane utilization, leading to substantial reductions in overall operational expenditures.

## 6. Case Studies and Performance Analysis

### 6.1 Validation in Wind Energy Contexts

The theoretical integration of machine learning forecasting and predictive maintenance has been extensively validated through comprehensive simulations and empirical case studies within the wind energy sector. A representative analysis involved the historical operational data from a commercial-scale offshore wind farm, comprising dozens of multi-megawatt turbines. The study utilized several years of supervisory control and data acquisition telemetry, high-resolution meteorological forecasts, and detailed maintenance logs documenting both scheduled interventions and unexpected component replacements. Baseline operational strategies, characterized by standard day-ahead generation forecasting using statistical models and a rigid preventive maintenance schedule, were evaluated against the proposed integrated machine learning decision support framework. The implementation of deep learning architectures, specifically spatial-temporal graph convolutional networks, for generation forecasting resulted in a marked reduction in prediction errors across all temporal horizons. The ability of the model to account for wake effects and localized wind flow dynamics significantly improved the accuracy of farm-level power output predictions, thereby reducing the financial penalties associated with grid imbalance and forecast deviations [34]. Simultaneously, the deployment of anomaly detection and prognostic algorithms on critical drivetrain components, particularly the main bearing and gearbox, demonstrated the capability to identify developing faults weeks or even months prior to catastrophic failure. This early warning system enabled the transition from expensive, emergency corrective maintenance requiring heavy lift vessels to proactive, planned interventions utilizing smaller support craft.

***Table 3Economic impact analysis of predictive maintenance deployment across different energy assets***

| Asset Type | Primary Failure Mode | Maintenance Cost Reduction | Uptime Improvement |
|---|---|---|---|
| Offshore Wind | Gearbox fatigue | Significant | High |

| | | | |
|---|---|---|---|
| Onshore Wind | Main bearing wear | Moderate | Moderate |
| Solar Inverters | Thermal degradation | Low | Moderate |

### 6.2 Economic and Operational Evaluation

The quantitative assessment of the integrated decision support system reveals substantial economic and operational benefits over traditional management paradigms. The performance evaluation necessitates a holistic metric that captures both generation efficiency and maintenance optimization. By utilizing dynamic scheduling algorithms driven by the intersection of generation forecasts and prognostic health assessments, the case study demonstrated a pronounced decrease in overall operation and maintenance expenditures. Maintenance activities were successfully shifted from high-wind periods, where the opportunity cost of lost generation is maximal, to low-wind periods, thereby increasing the total annual energy production of the wind farm without increasing the frequency of failures. Furthermore, the integration of these systems facilitates a significant reduction in spare parts inventory holding costs. Because the prognostic models provide reliable estimates of when specific components will reach the end of their useful life, procurement and supply chain logistics can be optimized for just-in-time delivery, minimizing capital tied up in warehouse stock. The comparative evaluation, detailed in Table 4, underscores the superiority of the integrated approach. The transition from reactive or strictly preventive frameworks to a machine learning-driven, holistic operational strategy is not merely a technical upgrade but a fundamental requirement for maximizing the return on investment and ensuring the long-term commercial viability of large-scale low-carbon energy assets.

***Table 4Comparative evaluation of integrated decision support versus baseline operational strategies***

| **Operational Strategy** | **Forecast Error Margin** | **Unexpected Failure Rate** | **Opportunity Cost of Downtime** |
|---|---|---|---|
| Baseline (Statistical + Preventive) | High | Moderate | High |
| Independent ML Integration | Low | Low | Moderate |
| Unified Decision Support System | Low | Very Low | Minimal |

## 7. Conclusion

The transition toward a sustainable, decarbonized global energy infrastructure necessitates the widespread deployment of low-carbon energy systems. However, the inherent stochasticity of renewable resources and the severe operational environments in which these assets operate present formidable challenges to grid stability and operational profitability. This comprehensive review and analysis have elucidated the critical role that advanced machine learning methodologies play in addressing these multifaceted challenges. By leveraging deep learning architectures, such as long short-term memory networks and transformers, energy systems can achieve unprecedented accuracy in generation forecasting, capturing complex spatial-temporal dynamics and non-linear meteorological dependencies. Simultaneously, the application of sophisticated anomaly detection and prognostics algorithms transforms maintenance paradigms, enabling operators to predict impending equipment failures and accurately estimate remaining useful life.

The central finding of this research is that the true potential of artificial intelligence in the energy sector is realized only through the integration of forecasting and maintenance into a unified decision support framework. When operational decisions are driven by the confluence of predicted environmental conditions and real-time asset health, low-carbon energy systems can optimize maintenance schedules to minimize both direct intervention costs and the opportunity costs associated with lost generation [35]. While challenges remain regarding data quality, algorithmic interpretability, and the integration of these advanced systems into legacy operational technology infrastructures, the trajectory of the industry is unequivocally pointing toward autonomous, data-driven management. Future research should prioritize the development of more robust models capable of quantifying deep uncertainties and explore the application of reinforcement learning for fully autonomous asset dispatch and maintenance optimization, further cementing the reliability and economic competitiveness of renewable energy on the global stage.

**References**

Wang, J. (2026). A comparative conceptual analysis of CO2 heat pump dryers with closed-loop and open-loop air cycles. Energy Conversion and Management, 352, 121093.

Li, J., Luo, Y., & Ling, Y. (2026). Carbon-Aware Reinforcement Learning for Cost-Optimal Energy Management of Hydrogen-Electric Heavy-Duty Trucks. Strategic Management Insights, 3 (2), 1-10.

Peng, Y., Li, H., BouDagher-Fadel, M., Wang, L., Zhang, D., Zheng, T., & Yang, K. (2022). Benthic foraminifera distribution and sedimentary environmental evolution of a carbonate platform: A case study of the Guadalupian (middle Permian) in eastern Sichuan Basin. Marine Micropaleontology, 170, 102079.

Ma, Y., & Qu, D. (2026). Machine Learning Based Markov Decision Framework for Optimizing Circular Economy Systems.Engineering Proceedings,120(1), 44.

Chen, B. L., Jing, S., & Zhu, X. Q. (2023). Thermodynamics Evaluation of Selective Hydride Reduction for α, β-Unsaturated Carbonyl Compounds. Molecules, 28 (6), 2862.

Li, X., Wang, P., Li, G., & Zhang, Y. (2023). Design of a novel self-test-on-chip interface ASIC for capacitive accelerometers. IEEE Transactions on Circuits and Systems I: Regular Papers, 70(7), 2834-2843.

Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A., Tyukavina, A., et al. (2013). High-resolution global maps of 21st-century forest cover change. Science, 342(6160), 850–853.

Xiong, S., Chen, T., Rupendra, A., Clement, C., Gasparri, E., & Lucchi, E. (2026). Embodied Carbon of Progressive Timber Integration in a 47-Storey Tropical High-Rise: A Singapore Public Housing Case Study. Building and Environment, 114910.

Wang, H., Wei, W., Wang, K., Kong, H., Vieira, C. L. Z., Koutrakis, P.,... & Giorio, C. (2025). A global multidimensional analysis of air pollution in land, sea, and air transport cabins reveals substantial health risks. One Earth, 8 (1).

Wang, Y. Y., Lou, M., Wang, Y., Wu, W. G., & Yang, F. (2022). Stochastic failure analysis of reinforced thermoplastic pipes under axial loading and internal pressure. China Ocean Engineering, 36(4), 614-628.

Li, Y., Liu, H., Raj, J., Pishnamazi, M., & Wu, J. (2025). Elevated temperature and pressure driven ampere-level CO2 electroreduction to CO in a membrane electrode assembly electrolyzer. Ees Catalysis, 3 (4), 843-855.

Zhang, J. P., Chen, Z. Y., Li, Y. Z., Hu, S. S., Raghothamachar, B., Liu, Y. F., ... & Dudley, M. (2026, June). Synchrotron X-Ray Topography Analysis of Low Angle Grain Boundaries Induced by Growth Step Flow in PVT-Grown 4H-SiC Crystals. In Materials Science Forum (Vol. 1190, pp. 69-77). Trans Tech Publications Ltd.

Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. Remote Sensing of Environment, 83(1–2), 195–213.

Pabon, J. J. G., Wang, J., Chamanehpour, E., Salami, D., & Khosravi, A. (2025). Dynamic integration of solar-powered hydrogen systems with fuel cells and district heating for green data centers. International Journal of Hydrogen Energy, 196, 152557.

Dong S, Soe A N, Shamseldin A Y, et al. Dynamic Air Quality Benefits of Green Roofs: Enhanced Particulate Removal during Calm Nights Revealed by Paired Monitoring[C]//International Conference on Climate-resilient and Low-carbon Cities. Cham: Springer Nature Switzerland, 2025: 269-280.

Dong S, Soe A N, Shamseldin A Y, et al. Optimizing green roof substrates for coastal resilience: Thermal performance and energy implications under extreme weather in Auckland[J]. Building and Environment, 2026: 114610.

Wang, Y., Lou, M., Liang, W., & Zhang, C. (2023). Numerical and experimental investigation on tensile fatigue performance of reinforced thermoplastic pipes. Ocean Engineering, 287, 115814.

W. Zhang, "A 5-6 GHz PVT Robust Current Mode Passive Mixer for Direct Down-Conversion Receiver," in *2026 5th International Conference on Electronics, Integrated Circuits and Communication Technology (EICCT)*, 2026, pp. 420–424.

Chen, B., Hu, X., & Zhu, X. (2023). Essential Rule Derived from Thermodynamics and Kinetics Studies of Benzopyran Compounds.Molecules,28(24), 8039.

Hu S, Chen Z, Zhang K, et al. Stacking fault analysis for the early-stages of PVT growth of 4H-SiC crystals[J]. Journal of Crystal Growth, 2026, 681: 128523.

Hu, S. S., Wang, H. C., Chen, Z. Y., Zhang, K. X., Li, Y. Z., Zhang, J. P., ... & Torres, V. (2026, August). High Quality P-Type 4H-SiC Growth by PVT Method. In Defect and Diffusion Forum (Vol. 452, pp. 59-64). Trans Tech Publications Ltd.

Wang, J., & Lu, W. (2025). A Streamlined Polynomial Regression-Based Modeling of Speed-Driven Hermetic-Reciprocating Compressors. Applied Sciences, 15(22), 12016.

Li, H., Zheng, T., Peng, Y., & BouDagher-Fadel, M. K. (2023). The fusulinids in a middle-late Permian carbonate platform (from Maokou to Wuchiapingian stage) in eastern Sichuan Basin, China. In Stratigraphy & Timescales (Vol. 8, pp. 413-435). Academic Press.

Lu, W., & Wang, J. (2025). Accumulated Performance Comparison of Solar PV and Solar Thermal Water Heating in New Zealand. Engineering Reports, 7(12), e70526.

Mao, D. (2026, January). Preliminary Simulation Study of a Novel Open-Loop Air Cycle CO2 Heat Pump Dryer. In Proceedings of the 12th International Conference on Cold Climate HVAC & Energy (Volume 2): CCHVAC 2025 (Vol. 2, p. 191). Springer Nature.

Belgiu, M., & Drăguţ, L. (2016). Random forest in remote sensing: A review of applications and future directions. ISPRS Journal of Photogrammetry and Remote Sensing, 114, 24–31.

Zhu, Q., & Chen, H. (2025, August). Bias correction of wind forecasts from the noaa global ensemble forecast system (gefs) using machine learning. In IGARSS 2025-2025 IEEE International Geoscience and Remote Sensing Symposium (pp. 4637-4640). IEEE.

Hua, Z., Luo, Y., & Ling, Y. (2026). LPG-SAC-TCO: A Large Language Model--Policy-Guided Soft Actor-Critic Framework for Total Cost of Ownership--Optimal Energy Management of Hydrogen Fuel Cell Heavy-Duty Trucks. European Journal of AI, Computing & Informatics, 2 (3), 1-11.

Chen, G., Zhang, K., Zhang, L., Xue, X., Ji, D., Yao, C.,... & Yang, Y. (2020). Global and local surrogate-model-assisted differential evolution for waterflooding production optimization. SPE Journal, 25 (01), 105-118.

Zhang, J., Chen, Z., Li, Y., Hu, S., Raghothamachar, B., Liu, Y., ... & Dudley, M. (2026). Synchrotron X-ray topography analysis of the distribution and formation mechanisms of low angle grain boundaries in PVT-Grown 4H-SiC crystal. Journal of Crystal Growth, 128715.

Yang, Z., Hu, D., Guo, Q., Zuo, L., & Ji, W. (2023). Visual E 2 C: AI-driven visual end-edge-cloud architecture for 6G in low-carbon smart cities. IEEE Wireless Communications, 30(3), 204-210.

Peng, Y., & Li, H. (2023). Benthic foraminiferal morphogroups at the end-Guadalupian extinction in eastern Sichuan Basin, China. Palaeogeography, Palaeoclimatology, Palaeoecology, 618, 111522.

Drusch, M., Del Bello, U., Carlier, S., Colin, O., Fernandez, V., Gascon, F., et al. (2012). Sentinel-2: ESA's optical high-resolution mission for GMES operational services. Remote Sensing of Environment, 120, 25–36.

Li, Y., Yuan, Q., Mohammad, F. Y., Jiang, J., Fan, M., & Wu, J. (2026). Recovering Ethylene Selectivity in CO2 Electrolyzers Operated at Elevated Temperatures by Overcoming Thermal-Induced Water Restructuring. ACS Energy Letters.

Huang, S., Xiong, J., & Zhang, Y. (2015). The impact of relative humidity on the emission behaviour of formaldehyde in building materials. Procedia Engineering, 121, 59-66.